



Certificate of Analysis

Productname: **Vaselinum album 1712**

Inspection No: 102883/0421/536
 Batchnumber: **19L06-T13-085760**
 Expiration date: 30.11.2022
 Analysed according to: ČL 2017, Ph.Eur.10.0
 Original Manuf. Date: 30.11.2019

Sample Unit: 0 x 25 kg
 Batch Size: 10 x 25 kg

Identification of producer: V00230
 Batch no. of vendor: 1317557

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	(Almost) white, translucent, soft unctuous mass, slightly fluorescent in daylight when melted.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	35 - 70	56	°C	Drop point	Fagron CZ
Identification B	Conform	Conform		IR-spectrum	Fagron CZ
Identification D	Conform	Conform		Appearance	Fagron CZ
TESTS					
Appearance	Conform	Conform			Fagron CZ
Acidity or alkalinity	<= 0,5	0,07	ml		Fagron CZ
Consistency	60 - 300	177			Data Producer
Polycyclic aromatic hydrocarbons	Conform	Conform			Data Producer
Sulfated ash	<=0,05	0,00	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	Conform	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	Conform	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

BHT <50 µg/g

Name	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
		Post Code	779 00	Fax No.	+420 585 226 521

Performed by: Mgr. Zdeňka Šinclová
Responsible: Ing. Mgr. Kateřina Jokešová, QC
PharmDr. Ivana Urbánková, QA
Date: 21.04.2021
Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

Name

Fagron a.s. (CZ)
Kontrolní laboratoř č. 536

Address
Post Code

Holická 1098/31m, Olomouc
779 00

Phone No.
Fax No.

+420585222590
+420 585 226 521