

Certificate of Analysis

Productname: Vaselinum flavum

Inspection No: I08793/1221/536
Batchnumber: 21C05-T01-091198
Expiration date: 28.02.2024
Analysed according to: ČL 2017, Ph.Eur.10.0
Original Manuf. Date: 28.2.2021

Sample Unit: 0 x 50 g
Batch Size: 10 x 1 kg

Identification of producer: V00230
Batch no. of vendor: 1387482

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Yellow, translucent, unctuous mass, slightly fluorescent in daylight when melted.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	40 - 60	55	°C	Drop point	Fagron CZ
Identification B	Conform	Conform		IR-spectrum	Fagron CZ
Identification D	Conform	Conform		Appearance	Fagron CZ
TESTS					
Appearance	Conform	Conform			Fagron CZ
Acidity or alkalinity	<=0,5	0,1	ml	0.01 M NaOH	Fagron CZ
Consistency	100 - 300	167			Contract Lab
Polycyclic aromatic hydrocarbons	Conform	Conform			Contract Lab
Sulfated ash	<=0,05	0	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	Conform	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	Conform	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

Name Fagron a.s. (CZ)
 Kontrolní laboratoř č. 536

Address Holická 1098/31m, Olomouc
Post Code 779 00

Phone No. +420585222590
Fax No. +420 585 226 521

The product conforms to ČL 2017, Ph.Eur.10.0.

Performed by: Ing. Petra Drábková

Responsible: Ing. Pavel Mišák, QC
MVDr. Zdenka Borská, QA

Date: 08.12.2021



Conclusion: I certify that the above-mentioned batch of pharmaceutical raw material has been manufactured and tested in accordance with the requirements of Marketing Authorization (License) and requirements of Good Manufacturing Practice.

This document has been produced electronically from our quality system and is valid without signature.

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521