

Certificate of Analysis

Productname: Cremor Basalis/Basiscreme

Inspection No: H08448/0920/536

Batchnumber: 20C17-T24-077648

Expiration date: 31.08.2023

Analysed according to: DAC 2019

Sample Unit: 1 x 500 g

Batch Size: 154 x 5 kg

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	White soft creme, washable with water.	Conform			
Odour (2.3.4)	Slight odour.	Conform			
IDENTIFICATION					
A.TLC (2.2.27)	see the test	Conform			
B. blue upper layer	see the test	Conform			
C. purple colour	see the test	Conform			
TESTS					
Saponification value (2.5.6)	30 - 42	35			
Unsaponifiable matter (2.5.7)	25,0 - 35,0	25,5	%		
Water (2.5.12, KF)	38,0 - 42,0	38,8	%		
Homogeneous distribution of components	see the test	Conform			
Microbiology	Conform	Conform			
TAMC	$\leq 2 \times 10^2$	Conform	CFU/g		
TYMC	$\leq 2 \times 10^1$	Conform	CFU/g		
Pseudomonas aeruginosa	negative/1g	Conform			
Staphylococcus aureus	negative/1g	Conform			
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			
Residual solvents	CPMP/ICH/82 260/2006	Conform			

Performed by: Mgr. Zdeňka Šinclová

Responsible: Ing. Mgr. Kateřina Jokešová, QC
PharmDr. Ivana Urbánková, QA

Date: 15.09.2020

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.