

Certificate of Analysis

Productname: Cremor basalis hydrophobicus/Hydrophobe Basiscreme DAC
Inspection No: I04881/0521/536 **Sample Unit:** 1 x 500 mg
Batchnumber: 21B12-T16-086378 **Batch Size:** 29 x 5 kg
Expiration date: 30.11.2022
Analysed according to: DAC 2019

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	White or almost white, soft preparation not washable with water from skin.	Conform			
Odour	Slight	Conform		DAC 2003	
IDENTIFICATION					
A.TLC (2.2.27)	Conform	Conform		DAC 2019	
B.bluer upper layer	Conform	Conform			
C.mixture of phases	Conform	Conform		DAC 2019	
TESTS					
pH (2.2.3)	3,5 - 5,0	4,8			
Saponification value (2.5.6)	7 - 12	7			
Water (2.5.12)	61,0 - 67,0	64,4	%		
Homogeneous distribution of componen	Conform	Conform		DAC 2019	
Microbiology	Conform	Conform			
TAMC	≤2 x 10 ²	Conform	CFU/g		
TYMC	≤2 x 10 ¹	Conform	CFU/g		
Pseudomonas aeruginosa	negative/1g	Conform			
Staphylococcus aureus	negative/1g	Conform			
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			
Residual solvents	CPMP/ICH/82 260/2006	Conform			
ASSAY					
Sorbic acid (2.2.29)	0,08 - 0,12	0,10	%	DAC 2019	

Performed by: Jitka Spáčilová

Responsible: Ing. Pavel Mišák, QC
 Ing. Martina Zemanová, QP



Date: 10.06.2021

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521