



Certificate of Analysis

Productname: Acidum trichloraceticum

Inspection No: G09853/1019/536
Batchnumber: 19I24-T07-070575
Expiration date: 31.08.2022
Analysed according to: ČL 2017, Ph.Eur.9.0
Original Manuf. Date: 27.8.2019

Sample Unit: 0 x
Batch Size: 54 x 250 g

Identification of producer: V01486
Batch no. of vendor: K51754310

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	White or almost white, crystalline mass or colourless crystals, very deliquescent.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	Conform	Conform		IR-spectrum	Fagron CZ
TESTS					
Appearance of solution	Clear, ≤ BY7	Conform		10% m/V	Fagron CZ
Chlorides	≤ 100	Conform	µg/g		Fagron CZ
Sulfated ash	≤ 0,1	0,0	%		Fagron CZ
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer
ASSAY					
Trichloroacetic acid	98,0 - 100,5	99,1	%		Contract Lab

Performed by: Dominika Stropková

Responsible: Mgr. Kateřina Jokešová, QC
 Ing. Martina Zemanová, QP

Date: 30.10.2019

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.