



Certificate of Analysis

Productname: Cremor Basalis/Basiscreme

Inspection No: G04981/0519/536

Sample Unit: 2 x 50 g

Batchnumber: 19B28-T09-064734

Batch Size: 37 x 10 kg

Expiration date: 31.05.2022

Analysed according to: DAC 2011

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	White soft creme, washable with water.	Conform			
Odour (2.3.4.).	Slight odour.	Conform			
IDENTIFICATION					
A. TLC (2.2.27)	see the test	Conform			
B. bluer upper layer	see the test	Conform			
C. purple colour	see the test	Conform			
TESTS					
Saponification value (2.5.6)	30 - 42	35			
Unsaponifiable matter (2.5.7)	25,0 - 35,0	29,3	%		
Water (2.5.12, KF)	38,0 - 42,0	38,8	%		
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			
Residual solvents	CPMP/ICH/82 260/06	Conform			

Performed by: Jitka Spáčilová

Responsible: Mgr. Kateřina Jokešová, QC
PharmDr. Ivana Urbánková, QA

Date: 27.05.2019

Conclusion: APPROVED *Mr.*

This document has been produced electronically from our quality system and is valid without signature.

Name

Fagron a.s. (CZ)
Kontrolní laboratoř č. 536

Address

Post Code

Holická 1098/31m, Olomouc
779 00

Phone No.

Fax No.

+420585222590
+420 585 226 521