

## Certificate of Analysis

**Productname:** Rosae aetheroleum artificiale

**Inspection No:** I07136/0921/536  
**Batchnumber:** 20H26-F02-088388  
**Expiration date:** 06.08.2023  
**Analysed according to:** Interní předpis, Internal  
**Original Manuf. Date:** 7.8.2020

**Sample Unit:** 0 x  
**Batch Size:** 387 x 10 ml

**Identification of producer:** V00201  
**Batch no. of vendor:** 1217757

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Light yellow liquid with characteristic odour.	Conform			Fagron CZ
IDENTIFICATION					
Identification	Conform	Conform		TLC	Fagron CZ
TESTS					
Refractive Index	1,500 - 1,530	1,511		30 °C	Fagron CZ
Relative density	0,975 - 1,075	0,987			Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	$\leq 2 \times 10^3$	$< 10$	CFU/g		Contract Lab
TYMC	$\leq 2 \times 10^2$	$< 10$	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

The product conforms to Interní předpis, Internal.

**Performed by:** Bc. Andrea Šmídová

**Responsible:** Ing. Pavel Mišák, QC  
MVDr. Zdenka Borská, QA

**Date:** 10.09.2021 
**Conclusion:** I certify that the above-mentioned batch of pharmaceutical raw material has been manufactured and tested in accordance with the requirements of Marketing Authorization (License) and requirements of Good Manufacturing Practice.

This document has been produced electronically from our quality system and is valid without signature.

<b>Name</b>	Fagron a.s. (CZ)	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
	Kontrolní laboratoř č. 536	<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521